

OFF ROAD



OFF-ROAD RANGE
Specially designed for civil or military special vehicles.

- **Its pluses for you:** excellent adaptability on unmade surfaces.



ALL AXLES



XZL

- mobility and versatility of use on all types of surfaces
- comfort and safety on and off-road
- unfailing robustness
- low compaction of the ground
- exceptional longevity




XS

- exceptional mobility on sand
- safety when travelling on track
- a shallow tread pattern that does not sink deeply into the sand
- safety when travelling on tracks at high temperatures
- unfailing robustness



XML

- the benchmark in terms of drive
- unfailing robustness
- sand and mud use
- low pressure running



DIMENSIONS

XZL	XS	XML
8.25 R 16	7.50 R 16	325/85 R 16
255/100 R 16	14.00 R 20	7.50 R 20*
11.00 R 16	525/65 R 20.5	9.00 R 20*
275/80 R 20 MPT	24 R 20.5	12.00 R 20
335/80 R 20 MPT		14.00 R 20
365/80 R 20 MPT		475/80 R 20
365/85 R 20		395/85 R 20
375/70 R 20 MPT		12.00 R 24*
395/85 R 20		13 R 22.5
10.00 R 20		G 20 Pilote*
11.00 R 20		
12.00 R 20		
14.00 R 20		
16.00 R 20		
24 R 21		
13 R 22.5		
445/65 R 22.5		

*tread pattern XL

